

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	141020	((382/123,125,128,129,130,131,132,133,134,173,177,179,190) or (128/920) or (378/54,55,56,57,98,8,98,9,146) or (600/407,419,425)).CCLS. or ("250").CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:08
L2	15624	1 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:20
L3	3954	2 and (two-dimension\$4 or 2D)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:15
L4	171	3 and ((calculat\$4 or measur\$4 or comput\$4 or estimat\$4) near4 (path\$2))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 09:16

L5	34	4 and spin\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:10
L6	14	5 and geometri\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:17
L7	14	6 and (rectangular\$4 or square or foursquare or angl\$3 or oblong or orthogonal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:19
L8	14	7 and length\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:19
L9	10	8 and compos\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:13

L10	18193	((rectangular\$4 or square or foursquare or angl\$3 or oblong or orthogonal) near4 (band\$2))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:14
L11	833	(spin\$4 near4 centerline)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:15
L12	72	11 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:15
L13	11	12 and (two-dimension\$4 or 2D)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:17
L14	2	13 and ((calculat\$4 or measur\$4 or comput\$4 or estimat\$4) near4 (path\$2))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:20

L15	403	11 and (calculat\$4 or measur\$4 or comput\$4 or estimat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:16
L16	320	15 and (rectangular\$4 or square or foursquare or angl\$3 or oblong or orthogonal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:16
L17	28	16 and (two-dimension\$4 or 2D)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:17
L18	17	17 and geometri\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:17
L19	4	18 and optimum\$2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:19

L20	426	1 and 10	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:19
L21	426	20 and (rectangular\$4 or square or foursquare or angl\$3 or oblong or orthogonal)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:19
L22	270	21 and length\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:19
L24	45	22 and extract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:20
L25	3	24 and ((calculat\$4 or measur\$4 or comput\$4 or estimat\$4) near4 (path\$2))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/17 09:20